EAST 08/687,862

				pw	4/4
L Number	Hits		DB	Time stamp	00.40
6	2618	decoders SAME load\$3	USPAT; US-PGPUB;	2004/04/06	U9:42
			EPO; JPO;		
			DERWENT;		
			IBM TDB		
7	918	decoders WITH load\$3	USPĀT;	2004/04/06	09:44
			US-PGPUB;		
			EPO; JPO;		
			DERWENT; IBM TDB		,
8	√ 69	decoders WITH load\$3 AND (370/\$6.ccls. OR	USPAT;	2004/04/06	10:26
		709/\$6.ccls. OR 341/\$6.ccls. OR	US-PGPUB;	2001,01,00	10.20
		348/\$6.ccls.)	EPO; JPO;		
			DERWENT;		
_	, , .		IBM_TDB		
9	4 0	(((demultipl\$4 OR demux\$3) WITH decoder\$1)	USPAT;	2004/04/06	10:25
		SAME (multiplex\$4 OR mux\$3) SAME load\$3)	US-PGPUB;		
		OR (((multiplex\$4 OR mux\$3) WITH decoder\$1) SAME (demultipl\$4 OR demux\$3)	EPO; JPO; DERWENT;		
		SAME load\$3)	IBM TDB		
10	2054		USPĀT;	2004/04/06	10:26
		SAME (multiplex\$4 OR mux\$3)) OR (US-PGPUB;		
		((multiplex\$4 OR mux\$3) WITH decoder\$1)	EPO; JPO;		
		SAME (demultipl\$4 OR demux\$3)) AND	DERWENT;		
11	2026	(decoder\$1 WITH load\$3)	IBM_TDB	2004/04/06	10.07
11	2036	(((demultipl\$4 OR demux\$3) WITH decoder\$1) SAME (multiplex\$4 OR mux\$3)) OR (USPAT; US-PGPUB;	2004/04/06	10:27
		((multiplex\$4 OR mux\$3)) OR (((multiplex\$4 OR mux\$3)) WITH decoder\$1)	EPO; JPO;		
		SAME (demultipl\$4 OR demux\$3)) AND	DERWENT;		
		(decoder\$1 WITH (system\$1 NEAR2 load\$3))	IBM TDB		
12	646	((((demultipl\$4 OR demux\$3) WITH	USPAT;	2004/04/06	10:26
		decoder\$1) SAME (multiplex\$4 OR mux\$3)) OR	US-PGPUB;		
		(((multiplex\$4 OR mux\$3) WITH decoder\$1)	EPO; JPO;		
		SAME (demultipl\$4 OR demux\$3)) AND	DERWENT;		
		(decoder\$1 WITH (system\$1 NEAR2 load\$3))) AND (370/\$6.ccls. OR 709/\$6.ccls. OR	IBM_TDB		
		341/\$6.ccls. OR 348/\$6.ccls.)			
14	v 121	· · · · · · · · · · · · · · · · · · ·	USPAT;	2004/04/06	10:41
		decoder\$1) SAME (multiplex\$4 OR mux\$3)) OR	US-PGPUB;		
.		(((multiplex\$4 OR mux\$3) WITH decoder\$1)	EPO; JPO;		
		SAME (demultipl\$4 OR demux\$3))) AND	DERWENT;		
15	1 24	(decoder\$1 WITH load\$3)	IBM_TDB	2004/04/06	10-41
15	24	(US-6675054-\$ or US-6512467-\$ or US-5970386-\$ or US-5684804-\$ or	USPAT; EPO;	2004/04/06	10:41
	i	US-6477204-\$ or US-6182287-\$ or	DERWENT		
		US-6028632-\$ or US-5760820-\$ or			
		US-6034963-\$ or US-6493386-\$ or			
		US-6285408-\$ or US-6031577-\$ or			
		US-6590615-\$ or US-6567427-\$ or			
	· !	US-6441841-\$ or US-6377309-\$ or US-6219100-\$ or US-5801781-\$ or			
		US-6219100-\$ or US-5801781-\$ or US-6516376-\$ or US-6496233-\$ or			
		US-6181711-\$ or US-6148005-\$).did. or			İ
		(EP-817501-\$).did. or (EP-924935-\$).did.			
16	✓ 15	((load ADJ1 balanc\$3) OR load\$1balanc\$3)	USPAT;	2004/04/06	10:56
		WITH decoder\$1	US-PGPUB;		
			EPO; JPO;		
			DERWENT;		
_	3267	ruberg.in. OR wall.in. OR butcher.in.	IBM_TDB USPAT;	2004/04/05	00.36
_	3201	ruberg.in. Ok warr.in. Ok butcher.in.	USPAT; US-PGPUB;	2004/04/05	09:30
			EPO; JPO;		
			DERWENT;		
			IBM TDB		
-	91	<pre>(ruberg.in. OR wall.in. OR butcher.in.)</pre>	USPĀT;	2004/04/05	09:37
		AND decod\$3	US-PGPUB;		
			EPO; JPO;		
			DERWENT;		
			IBM TDB		

AND decod\$3 AND (video\$1 OR audio\$1 OR US-PGPUB; MPEG\$3 OR multi\$1media\$1 OR java\$1) EPO; JPO; DERWENT; IBM_TDB	05 10:09 05 09:41
- 30 ("5291585" "5335320" "5345550" USPAT 2004/04/ "5347627" "5384911" "5412772" "5414806" "5423034" "5430836" "5436637" "5448695" "5461399" "5461710" "5473745" "5491784" "5493638" "5509116" "5526517"	05 09:41
"5347627" "5384911" "5412772" "5414806" "5423034" "5430836" "5436637" "5448695" "5461399" "5461710" "5473745" "5491784" "5493638" "5509116" "5526517"	05 09:41
"5461710" "5473745" "5491784" "5493638" "5509116" "5526517"	
"5550968" "5559942" "5564003"	
"5566330" "5570462" "5572643" "5694603" "5694604" "6125115").PN. 4 ("4456972" "5631643" "5655148" USPAT 2004/04/	05 09:48
	05 10:21
US-PGPUB; EPO; JPO; DERWENT; IBM TDB	
	05 10:24
DERWENT; IBM TDB	
- 4178 decod\$3 SAME (demultipl\$4 OR demux\$3) SAME USPAT; 2004/04/ (multiplex\$4 OR mux\$3) US-PGPUB; EPO; JPO; DERWENT;	05 14:57
- 2946 decod\$3 WITH (demultip1\$4 OR demux\$3) SAME USPAT; 2004/04/ (multiplex\$4 OR mux\$3) US-PGPUB;	05 10:32
EPO; JPO; DERWENT; IBM_TDB - 1775 decod\$3 WITH (demultipl\$4 OR demux\$3) WITH USPAT; 2004/04/	05 15:54
(multiplex\$4 OR mux\$3) US-PGPUB; EPO; JPO; DERWENT; IBM TDB	
- 452 (decod\$3 WITH (demultip1\$4 OR demux\$3) USPĀT; 2004/04/ WITH (multiplex\$4 OR mux\$3)) AND US-PGPUB; (370/\$6.ccls. OR 709/\$6.ccls. OR EPO; JPO; 341/\$6.ccls.)	05 10:35
(multiplex\$4 OR mux\$3) SAME (gateway\$1 OR US-PGPUB; controller\$1 OR server\$1) EPO; JPO;	05 13:05
US-PGPUB;	05 13:25
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	05 13:25
DERWENT; IBM_TDB USPAT; US-PGPUB;	05 13:26
EPO; JPO; DERWENT; IBM_TDB USPAT; 2004/04/	05 13:31
SAME complex\$5 US-PGPUB; EPO; JPO; DERWENT; IBM TDB	

Page 2

-	V 100	gateway\$1 SAME decoders	USPAT; US-PGPUB;	2004/04/05 13:40
			EPO; JPO; DERWENT;	
_	733	intermediate\$1 SAME decoders	IBM_TDB USPAT;	2004/04/05 13:40
			US-PGPUB; EPO; JPO;	
			DERWENT;	
_	/ 121	(intermediate\$1 SAME decoders) AND	IBM_TDB USPAT;	2004/04/05 15:31
	·	(370/\$6.ccls. OR 709/\$6.ccls. OR 341/\$6.ccls. OR 348/\$6.ccls.)	US-PGPUB; EPO; JPO;	
		311/40.00131 01 310/40.00131/	DERWENT;	
_	√ 157	(protocols WITH receiv\$3) SAME decoder\$1	IBM_TDB USPAT;	2004/04/05 14:04
			US-PGPUB; EPO; JPO;	
			DERWENT; IBM TDB	
-	✓ ₂	6034963.pn.	USPĀT;	2004/04/05 14:09
			US-PGPUB; EPO; JPO;	
			DERWENT; IBM TDB	
-	J 25	("5012489" "5161193" "5307413" "5426694" "5430727" "5440551"	USPĀT	2004/04/05 14:05
		"5499353" "5519704" "5546453" "5577105" "5625678" "5636371"		
		"5640394" "5666362" "5675507"		
		"5734865" "5748905" "5754540" "5761281" "5790546" "5790676"		
	,	"5802287" "5809235" "5818935" "5870549").PN.		
_	✓ 23 4694	6034963.URPN. ((multiple\$1 OR many) WITH protocols) AND	USPAT USPAT;	2004/04/05 14:07 2004/04/05 14:10
	1001	(video\$1 OR audio\$1 OR multi\$1media\$1)	US-PGPUB;	2004/04/03 14.10
			EPO; JPO; DERWENT;	
_	~ 166	((multiple\$1 OR many) NEAR2 protocols)	IBM_TDB USPAT;	2004/04/05 14:45
		SAME (video\$1 OR audio\$1 OR multi\$1media\$1)	US-PGPUB; EPO; JPO;	
			DERWENT; IBM TDB	
-	510	decoders SAME (demultipl\$4 OR demux\$3)	USPĀT;	2004/04/05 16:06
		SAME (multiplex\$4 OR mux\$3)	US-PGPUB; EPO; JPO;	
			DERWENT; IBM TDB	
-	√ 254	(demultipl\$4 OR demux\$3) SAME (decoders WITH (multiplex\$4 OR mux\$3))	USPAT; US-PGPUB;	2004/04/05 15:22
		The second secon	EPO; JPO; DERWENT;	
	07.6	(-1/winsh62 op	IBM TDB	0000405405
-	9749	(eliminat\$3 OR remov\$3 OR reduc\$3 OR eras\$3 OR (tak\$3 ADJ1 out\$1)) NEAR2	USPAT; US-PGPUB;	2004/04/05 15:52
		decod\$3	EPO; JPO; DERWENT;	
_	1419	((eliminat\$3 OR remov\$3 OR reduc\$3 OR	IBM_TDB USPAT;	2004/04/05 18:19
	1117	eras\$3 OR (tak\$3 ADJ1 out\$1)) NEAR2	US-PGPUB;	
		decod\$3) AND (370/\$6.ccls. OR 709/\$6.ccls. OR 341/\$6.ccls. OR	EPO; JPO; DERWENT;	
_	861	348/\$6.ccls.) ((eliminat\$3 OR remov\$3 OR reduc\$3 OR	IBM_TDB USPAT;	2004/04/05 15:32
		eras\$3 OR (tak\$3 ADJ1 out\$1)) NEAR2 decod\$3) AND (video\$1 OR audio\$1 OR	US-PGPUB; EPO; JPO;	
		multi\$1media\$1) AND (370/\$6.ccls. OR 709/\$6.ccls. OR 341/\$6.ccls. OR	DERWENT; IBM TDB	
		348/\$6.ccls.)	100_100	

-	✓ 141	((eliminat\$3 OR remov\$3 OR reduc\$3 OR eras\$3 OR (tak\$3 ADJ1 out\$1)) NEAR2	USPAT; US-PGPUB;	2004/04/05 15:34
		decod\$3) SAME (gateway\$1 OR prox\$3 OR	EPO; JPO;	
		server\$1 OR intermediate)	DERWENT;	
			IBM_TDB	
-	2684	protocols SAME decod\$3	USPAT;	2004/04/05 15:54
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	932	protocols WITH decod\$3	USPAT;	2004/04/05 15:54
		Factorial manufactures	US-PGPUB;	
	ļ		EPO; JPO;	
			DERWENT;	
	224	(contact) NTMV decede2) NND (270/66 cells	IBM_TDB	2004/04/05 15.55
-	✓ 334	(protocols WITH decod\$3) AND (370/\$6.ccls. OR 709/\$6.ccls. OR 341/\$6.ccls. OR	USPAT; US-PGPUB;	2004/04/05 15:55
		348/\$6.ccls.)	EPO; JPO;	
		310, 40.0013.7	DERWENT;	
			IBM TDB	
-	✓ ₁₀₂		USPĀT;	2004/04/05 16:13
		(multiplex\$4 OR mux\$3) SAME protocol\$1	US-PGPUB;	
			EPO; JPO;	
	-		DERWENT; IBM TDB	
_	651	(decod\$3 OR codec\$1) SAME (demultipl\$4 OR	USPAT;	2004/04/05 16:42
		demux\$3) SAME (multiplex\$4 OR mux\$3) SAME	US-PGPUB;	
		(prox\$3 OR gateway\$1 OR intermediat\$3 OR	EPO; JPO;	
		controller\$1 OR server\$1)	DERWENT;	
1_	✓ ₂₅₂	((decod\$3 OR codec\$1) SAME (demultipl\$4 OR	IBM_TDB USPAT;	2004/04/05 16:15
-	• 232	((decod\$3 OR codec\$1) SAME (demultip1\$4 OR demux\$3) SAME (multiplex\$4 OR mux\$3) SAME	US-PGPUB;	2004/04/03 10:13
		(prox\$3 OR gateway\$1 OR intermediat\$3 OR	EPO; JPO;	
		controller\$1 OR server\$1)) AND	DERWENT;	
		(370/\$6.ccls. OR 709/\$6.ccls. OR	IBM_TDB	
	/ 8	341/\$6.ccls. OR 348/\$6.ccls.)	HCDAM	2004/04/05 16:10
-	8	("5598415" "5742623" "5805224" "6038256" "6081295" "6167084"	USPAT	2004/04/05 16:18
	/	"6434197" "6493386").PN.	1	
-	٦ ع	("4464783" "4074074" "6400846").PN.	USPAT	2004/04/05 16:19
-	/17	("5289276" "5493339" "5583562"	USPAT	2004/04/05 16:23
		"5617151" "5757909" "5909257"	1	
	1	"5940148" "6049651" "6061387" "6067653" "6101195" "6115080"	1	
		"6118498" "6160570" "6233253"		
	/	"6356312" "6380984").PN.	•	
-	11	(demultipl\$4 OR demux\$3) SAME (multiplex\$4	USPAT;	2004/04/05 16:53
		OR mux\$3) SAME ((MPEG\$3 WITH JPEG\$2) OR	US-PGPUB;	
	ĺ	(MPEG\$3 WITH (H.261 OR "261" OR H-261 OR H261)) OR (JPEG\$2 WITH (H.261 OR "261" OR	EPO; JPO; DERWENT;	
		H-261 OR H261)))	IBM TDB	
-	63	(demultipl\$4 OR demux\$3) SAME (multiplex\$4	USPAT;	2004/04/05 17:32
		OR mux\$3) AND (((MPEG\$3 WITH JPEG\$2) OR	US-PGPUB;	
		(MPEG\$3 WITH (H.261 OR "261" OR H-261 OR	EPO; JPO;	
1		H261)) OR (JPEG\$2 WITH (H.261 OR "261" OR	DERWENT;	
_	460	H-261 OR H261))) SAME decod\$3) (demultipl\$4 OR demux\$3) SAME (multiplex\$4	IBM_TDB USPAT;	2004/04/05 18:18
1	400	OR mux\$3) SAME decod\$3 SAME (MPEG\$3 OR	US-PGPUB;	2004/04/03 10:10
1		JPEG\$2 OR (H.261 OR "261" OR H-261 OR	EPO; JPO;	
		H261))	DERWENT;	
1		, W.C. 7000 77 W. J. W.C. 700 A. W. J. W. J. W.C. 700 A. W. J. W.	IBM_TDB	0004/04/05 35 35
-	J 5		USPAT	2004/04/05 17:42
_	0	"6195392" "6313879").PN. 6477204.URPN.	USPAT	2004/04/05 17:44
_	8 ~	6477204.0RFN. ("6137951" "6148141" "6160579"	USPAT	2004/04/05 17:50
	"	"6256071" "6273535" "6285408"		
	j	"6336155" "6337928"\ DN		
	J 2	("6031577" "6064676").PN.	USPAT	2004/04/05 17:58

_	2	WO-9638008-\$.did.	USPAT; US-PGPUB;	2004/04/05 18:01
			EPO; JPO;	
	İ		DERWENT;	
		C010100 (VDD))	IBM_TDB	0004/04/05 10 00
_	0 / 14	6219100.URPN. ("4425579" "5187470" "5317403"	USPAT USPAT	2004/04/05 18:02 2004/04/05 18:04
_	714	(4423379	OSFAI	2004/04/03 18.04
		"5550576" "5596373" "5635989"		
		"5761604" "5809204" "5940073"		
		"6005565" "6014184").PN.		
-	21	5801781.URPN.	USPAT	2004/04/05 18:10
_	3215	(((demultip1\$4 OR demux\$3) WITH decod\$3) SAME (multiplex\$4 OR mux\$3)) OR	USPAT; US-PGPUB;	2004/04/05 18:20
		(((multiplex\$4 OR mux\$3) WITH decod\$3)	EPO; JPO;	
		SAME (demultipl\$4 OR demux\$3))	DERWENT;	
		-	IBM_TDB	
-	1061	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	USPAT;	2004/04/05 18:19
		SAME (multiplex\$4 OR mux\$3)) OR	US-PGPUB;	
		(((multiplex\$4 OR mux\$3) WITH decod\$3) SAME (demultipl\$4 OR demux\$3))) AND	EPO; JPO; DERWENT;	
		(370/\$6.ccls. OR 709/\$6.ccls. OR	IBM TDB	
		341/\$6.ccls. OR 348/\$6.ccls.)		
-	2218		USPAT;	2004/04/05 18:26
		SAME (multiplex\$4 OR mux\$3)) OR	US-PGPUB;	
		(((multiplex\$4 OR mux\$3) WITH decoder\$1) SAME (demultipl\$4 OR demux\$3))	EPO; JPO; DERWENT;	
		SAME (demuicipis4 or demuxs3))	IBM TDB	
_	∨ 351	(((demultipl\$4 OR demux\$3) WITH decoders)	USPAT;	2004/04/05 18:25
	,	SAME (multiplex\$4 OR mux\$3)) OR	US-PGPUB;	
		(((multiplex\$4 OR mux\$3) WITH decoders)	EPO; JPO;	
]	SAME (demultipl\$4 OR demux\$3))	DERWENT;	
_	1134	((((demultipl\$4 OR demux\$3) WITH	IBM_TDB USPAT;	2004/04/05 18:44
	1154	decoder\$1) SAME (multiplex\$4 OR mux\$3)) OR	US-PGPUB;	2004/04/05 10.44
		(((multiplex\$4 OR mux\$3) WITH decoder\$1)	EPO; JPO;	
		SAME (demultipl\$4 OR demux\$3))) AND	DERWENT;	
		((control\$3 OR select\$3) WITH (demultipl\$4	IBM_TDB	
_	✓ ₄₇₇	OR demux\$3)) ((((demultipl\$4 OR demux\$3) WITH	USPAT;	2004/04/05 18:29
	3//	decoder\$1) SAME (multiplex\$4 OR mux\$3)) OR	US-PGPUB;	2004/04/03 10.29
		(((multiplex\$4 OR mux\$3) WITH decoder\$1)	EPO; JPO;	
		SAME (demultipl\$4 OR demux\$3))) AND (DERWENT;	
		((control\$3 OR select\$3) WITH (demultipl\$4	IBM_TDB	
		OR demux\$3)) SAME (video\$1 OR MPEG\$3 OR JPEG\$2 OR multi\$1media))		
_	1425		USPAT;	2004/04/05 18:44
		decoder\$1) SAME (multiplex\$4 OR mux\$3)) OR	US-PGPUB;	
		(((multiplex\$4 OR mux\$3) WITH decoder\$1)	EPO; JPO;	
		SAME (demultipl\$4 OR demux\$3))) AND	DERWENT;	
		((control\$3 OR select\$3 OR choos\$3) WITH decoder\$1)	IBM_TDB	
_	593		USPAT;	2004/04/05 19:03
		decoder\$1) SAME (multiplex\$4 OR mux\$3)) OR	US-PGPUB;	
		(((multiplex\$4 OR mux\$3) WITH decoder\$1)	EPO; JPO;	ĺ
		SAME (demultipl\$4 OR demux\$3))) AND	DERWENT;	
		((control\$3 OR select\$3 OR choos\$3) NEAR2 decoder\$1)	IBM_TDB	
_	V 6	("5818530" "5838597" "6108584"	USPAT	2004/04/05 18:49
		"6134613" "6305021" "6374404").PN.		
-	0	6516376.URPN.	USPAT	2004/04/05 18:50
-	7 5	("5684804" "5828416" "6041400"	USPAT	2004/04/05 18:51
<u> </u>	/ 1	"6272153" "6311161").PN. 6496233.URPN.	USPAT	2004/04/05 18:53
_	8.	("5598415" "5742623" "5805224"	USPAT	2004/04/05 18:53
	/ ⁸	"6038256" "6081295" "6167084"		= 3 3 2, 3 2, 3 3 2 3 1 2 1
		"6434197" "6493386").PN.		

_	17	("5289276" "5493339" "5583562"	USPAT	2004/04/05 19:12
		"5617151" "5757909" "5909257"		
		"5940148" "6049651" "6061387"		
		"6067653" "6101195" "6115080"		
		"6118498" "6160570" "6233253"		
		"6356312" "6380984").PN.		